
REM 1026B GRAIN VAC

PARTS CATALOGUE

INTRODUCTION

This parts manual is set up to show all the service parts for Rem 1026B Grain Vac.

The information required when order parts is as follows:

- part number
- description
- number of pieces required

In producing this parts catalogue every effort has been made to ensure accuracy. If you discover an error, please inform us.

Phone: 1-800-667-7420

In Canada
Rem Enterprises Inc.
Box 1207 Swift Current SK S9H 3X4
Ph (306) 773-0644 Fax (306) 773-1188
Email remsales rem.sk.ca

US Shipping Office located in Shenandoah, IA

REM 1026B GRAIN VAC PARTS TABLE OF CONTENTS

INTRODUCTION

TABLE OF CONTENTS


PRODUCT ILLUSTRATIONS

PAGE

PTO Shaft	1-1A
Drive Shaft & Clutch Assembly	2-2A
Wheel and Axle	3-3A
Frame Assembly	4-4A
Telescoping Inlet Mounting Kit	5-5A
Body (Inlet Side)	6-6A
Body (Auger Side)	7-7A
Exhaust Extension	8-8A
Auger Drive	9-9A
Lower Auger	10-10A
Middle Auger	11-11A
Upper Auger	12-12A
Rear Pulley Drive	13-13A
Fan Drive	14-14A
Drum Assembly	15-15A
Standard Hose Configurations	16-16A
1026B Hose Clamp 7" Diam.	16-16A
Telescoping Tube	17-17A
Cleanup Nozzle	18-18A
Gear box	19-19A
Miscellaneous Items	20-20A
Fine Screen Drum	21-21A
Brush Kit	22-22A
Stub Unload Auger	23-23A
Transport Lighting Package	24-24A
Dust Collector Complete	25-25A
Transition 6" to 7"	26-26A
Transition 7" to 6"	27-27A
Transition Aeration	28-28A
Hose Clamp 6" & 7" Dia.	29-29A
Steel Flex Hose (6")	29-29A
Lightweight Rubber Flex Hose	29-29A
Drill Cleanout Hose (4")	30-30A
Straight Aluminium Pipe	31-31A
Lower/ Middle Auger Assembly	32-32A
Upper Auger Assembly	33-33A
Hydraulic Hose & Cylinder Assembly	34-34A
Hired Hand Kit 1026B	35-35A

PTO SHAFT (WALTERSCHIED)

Page 1




REVISED
SEP5/00

1026B PTO SHAFT

Page 1A
09/05/00

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B0101	1	7100-38-9494	PTO Shaft W2400 Series #389494 Walte	1	ALL
1026B0102	2	7100-38-9836	Male Half shaft c/w Shielding	1	ALL
1026B0103	3	7100-38-9837	Female Half Shaft c/w Shielding	1	ALL
1026B0104	4	7100-38-0908	Yoke #380908 1-3/8 21 Spl. A.S. c/w #12	1	ALL
1026B0105	5	7100-38-1908	A.S. Collar Kit #381908	1	ALL
1026B0106	6	7100-38-9400	Complete Clutch Assy #389400(see p.2)	1	ALL
1026B0107	7	7100-31-2410	Cross & Bearing Kit #312410	2	ALL
1026B0108	8	7100-01-9518	Inboard Yoke 1B #019518	1	ALL
1026B0109	9	7100-02-0617	Spring Pin #020617 10x80	2	ALL
1026B0110	10	7100-04-8952	Inner Profile #048952	1	ALL
1026B0111	11	7100-09-1472	Outer Profile #091472 2A	1	ALL
1026B0112	12	7100-01-9519	Inboard Yoke #019519 2A	1	ALL
1026B0113	13	7100-36-5366	Shield Cone 6 Rib #365366	1	ALL
1026B0114	14	7100-36-5305	Screw #365305	2	ALL
1026B0115	15	7100-08-7276	Bearing Ring #087276	2	ALL
1026B0116	16	7100-04-4321	Safety Chain #044321	1	ALL
1026B0117	17	7100-09-4620	Out. Shield Tube OVL #094620	1	ALL
1026B0118	18	7100-05-6140	Inner Shield Tube Rnd. #056140	1	ALL
1026B0119	19	7100-38-3333	Danger Decal - Shield #383333	1	ALL
1026B0120	20	7100-38-3334	Danger Decal - Steel #383334	1	ALL
1026B0121	21	7100-36-5386	Shield Cone 6 Rib #365386	1	ALL




REVISED
MAR1/98

1026B DRIVE SHAFT AND CLUTCH ASSEMBLY


Page 2A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B0201	1	7100-38-1957	H Nut M8 DIN 6330 #381957	4	ALL
1026B0202	2	7100-04-2487	Belle ille Spring #043487 white dot.	1	ALL
1026B0203	3	7100-04-3489	Belle ille Spring #043489 red dot.	1	ALL
1026B0204	4	7100-38-1495	Thrust Plate #381495	1	ALL
1026B0205	5	7100-04-2480	Friction Disk #168556	4	ALL
1026B0206	6	7100-02-4459	Dri e Plate #042459	1	ALL
1026B0207	7	7100-04-2454	Dri e Plate #042454	1	ALL
1026B0208	8	7100-38-9402	Hub 1 3/8"-5/16" kwy #389402	1	ALL
1026B0209	9	7100-32-0527	Clutch Housing #320527	1	ALL
1026B0210	10	7100-38-9400	Complete Clutch Assembly #389400	1	ALL
1026B0211	11	7100-34-1953	Quick Disconnect Flg. Kit(12-18) #34195	1	ALL
1026B0212	12	7100-04-7825	Back Up Ring #047825	1	ALL
1026B0213	13	7100-04-5793	Compression Spring #045793	1	ALL
1026B0214	14	7100-02-0692	Ball 02-0692	3	ALL
1026B0215	15	7100-04-5790	Lock Collar #045790	1	ALL
1026B0216	16	7100-04-5791	Flanged Ring #338531	1	ALL
1026B0217	17	7100-02-0628	Snap Ring #020628	1	ALL
1026B0218	18	7100-30-4149	Snap ring #304149	1	ALL

Jan 16/01



Tire filled with
5 pound Chloride @
75% full is required
on the Inlet Side of
Hydraulic Auger Lift
Approx tire weight=
100 pound/45 kg




LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B0301	1	7864-00-0006	Spindle	1	ALL
1026B0302	2	6732-00-0032	Cotter pin 3/16 x1-1/4	1	ALL
1026B0303	3	103-220	Grease Seal - 14974	1	ALL
1026B0304	4	7214-01-2500	Bearing - LM67048	1	ALL
1026B0305	5	38-105896	Hub-H-411 c/w Cups-HA-411 (Hylar)	1	ALL
1026B0306	6	4150-21F2904	Wheel Bolt 1/2 UNF	4	ALL
1026B0307	7	7214-00-0001	Bearing - LM11949	1	ALL
1026B0308	8	4044-12F0305	Nut - Castellated 3/4 UNF	1	ALL
1026B0309	9	103-300	DC 12 Hub Cap	1	ALL
1026B0310	10	7864-00-0014	GVDelta Spindle/Hub-1500#	1	ALL
1026B0311	11	7980-01-3515	Rim - 15" Dia. 4.5 KB 4 Bolt	1	ALL
1026B0312	12	3915-00-0000	Val e Stem TR415 Goodyear	1	ALL
1026B0312A	12A	3911-00-0001	Tire-Tube KR15 Goodyear	1	ALL
1026B0313	13	3910-37-0006	Tire - ST205/75R15(BSL)	1	ALL
1026B0314	14	07-100640	Wheel Assembly (incl. 11 12 & 13)	1	ALL
1026B0315	15	38-108131	Tire Assy-Cal.Chloride Tire (Incl 11 12A & 13) (Tire has 5 pound Calcium Chloride 75 fill)	1	ALL


NOTES Part #14 is re uired for both sides of the Spring Auger Assist Grain Vac.
 NOTES Part #15 is re uired for only one side of Hydraulic Auger Assist Grain Vac.
 It is to be mounted on the Inlet Side of Vac to counter balance the weight of the
 hydraulic cylinders and auger tubes (Approx. weight of #15 100 pounds/45 kilograms).
 Part #14 is mounted only on the Auger side of the Hydraulic Auger Assist Grain Vac.

HUB COMPONENTS

1026B0316	16	7415-00-0005	Inner Race - LM67010	1	ALL
1026B0317	17	7415-00-0006	Outer Race - LM11910	1	ALL



LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B0401	1	6187-00-0002	Safety Chain 10 000 lb.	1	ALL
1026B0402	2	4001-22C2960	Bolt - Hex 1/2 X 4 1/2 UNC GR.5	6	ALL
1026B0403	3	4055-02C0260	Nut - Lock Uni - Tr 1/2 UNC	2	ALL
1026B0404	4	38-105030	Hitch	1	ALL
1026B0405	5	38-105024	Hitch Pole	1	ALL
1026B0406	6	6738-00-0086	Hitch Pin Clip - 3/32 X 2 5/16 (#CP86H)	1	ALL
1026B0407	7	4049-13C0250	Nylon Lock Nut 7/16 UNC	4	ALL
1026B0408	8	5009-02-0438	Flatwasher 7/16" dia	5	ALL
1026B0409	9	4001-22C2754	Hex Bolt 7/16 X 4 UNC GR.5	2	ALL
1026B0410	10	38-107094	Nozzle Holder Lower	1	3900
1026B0411	11	38-107099	7" Vacuum Nozzle (See P.18A)	1	3900
1026B0412	12	4046-13C0235	Nut - Whiz 3/8 UNC	10	ALL
1026B0413	13	6733-00-0002	Lock Pin - 1/4" X 1-3/8"	1	ALL
1026B0414	14	38-105981	Nozzle Upper Mount	1	ALL
1026B0415	15	4046-13C0220	Nut - Whiz 5/16 UNC	2	ALL
1026B0416	16	4049-13C0220	Nut - Nylon Lock 5/16 UNC	3	ALL
1026B0417	17	5009-02-0313	Flatwasher 5/16" dia	4	ALL
1026B0418	18	3900-82-5160	Tarp Strap	3	ALL
1026B0419	19	4001-22C2538	Bolt - 3/8" X 2 1/4" UNC GR.5	6	ALL
1026B0420	20	38-105065	Hose Holder	3	ALL
1026B0421	21	38-107097	Final Body	1	3900
1026B0422	22	5010-00-0001	Flatwasher - 2 OD X 17/32 ID X .150	3	ALL
1026B0423	23	4030-21C0260	Nut -Hex 1/2 UNC	4	ALL
1026B0424	24	5000-03-0500	Lockwasher - Standard 1/2 dia	4	ALL
1026B0425	25	38-107436	Red Reflector Tape 1" x 6"	2	ALL
1026B0426	26	38-104107	Fender	2	ALL
1026B0427	27	38-107098	Frame	1	3900
1026B0428	28	07-100436	Security Pin	1	ALL
1026B0429	29	0485-00-0003	ack - Top Screw Ram #2010 TTF	1	ALL
1026B0430	30	4024-22C2675	Bolt - Whiz 7/16 X 1 UNC PLTD	2	ALL
1026B0431	31	4046-13C0250	Nut - Whiz 7/16 UNC	2	ALL




REVISED
DEC.8/98

1026B INLET MOUNTING KIT

Page 5A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B0501	1	4049-13C0220	Nut-NY Lock 5/16" UNC Gr.5	2	ALL
1026B0502	2	4049-13C0200	Nut-NY Lock 1/4" UNC Gr.5	1	ALL
1026B0503	3	3900-82-5146	Rubber Tarp Strap	1	ALL
1026B0504	4	38-105986	Upper Inlet Mount	1	ALL
1026B0505	5	38-107281	Strap Mount	1	ALL
1026B0506	6	38-105985	Lower Inlet Mount	1	ALL
1026B0507	7	4001-22C2388	Bolt-Hex 5/16" x 2-1/4" Gr.5	2	ALL
1026B0508	8	5009-02-0250	Washer-Flat 1/4" Dia.	1	ALL
1026B0509	9	4001-22C2156	Bolt-Hex 1/4" x 1" UNC Gr.5	1	ALL
1026B0510	10	38-105994	Inlet Mounting Kit Assy. (Incl. 1-9)	1	ALL




REVISED
APR 22/10

1026B BODY - INLET SIDE

Page 6A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B0601	1	38-103572	Fan Co er Plate	1	ALL
1026B0602	2	38-107097	Final Body	1	3900
1026B0603	3	5300-01-0260	D-Ring Spae Naur #MH-5 1/2" ID	1	ALL
1026B0604	4	6745-02-0018	Lanyard Loop & Loop 12" L (Chain is shown)	1	ALL
1026B0605	5	38-104128	Inlet Plug Weldment (c/w Part #4 6745-02-0018)	1	ALL
1026B0606	6	38-105979	Inspection Door	1	ALL
1026B0607	7	4030-21C0220	Nut - Hex 5/16 UNC	4	ALL
1026B0608	8	38-103722	Co er Plate Front Weldment	1	ALL
1026B0609	9	4024-22C2494	Bolt - Whiz 3/8 UNC X 3/4	5	ALL
1026B0610	10	20-101782	Flange Hinge	2	ALL
1026B0611	11	5009-02-0313	Flatwasher 5/16" dia.	4	ALL
1026B0612	12	5000-03-0313	Lockwasher - Standard 5/16 dia.	4	ALL
1026B0613	13	38-105993	Top Hinge Tab	2	ALL




REVISED
MAY 14/04

1026B BODY - AUGER SIDE

Page 7A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B0701	1	38-103771	Front Auger Release	1	ALL
1026B0702	2	6777-02-0004	Auger Latch Spring GV	2	ALL
1026B0703	3	5012-02-0625	Flatwasher - SAE - 5/8"	2	ALL
1026B0704	4	5009-02-0250	Flatwasher - USS 1/4" dia	6	ALL
1026B0705	5	6740-00-1670	Pin - Roll 1/8" X 1"	2	ALL
1026B0706	6	38-103748	Latch Pin	2	ALL
1026B0707	7	6730-00-1710	Cle is Pin 1/4 X 1 3/8	2	ALL
1026B0708	8	6732-00-0008	Cotter Pin 3/32 X 1/2	2	ALL
1026B0709	9	4046-13C0220	Nut - Whiz 5/16 UNC	8	ALL
1026B0710	10	6755-00-0613	Ri et - Monobolt (A del #2771-0613)	2	ALL
1026B0711	11	3703-04-0034	Strip Slide	1	ALL
1026B0712	12	38-103751	Bracket - Transport Auger	1	ALL
1026B0713	13	38-103770	Auger Release Back	1	ALL
1026B0714	14	38-104158	Auger Holddown Bracket Assy (incl. 1-8 10-13)	1	ALL
1026B0715	15	38-105020	Co er Plate Rear	1	ALL
1026B0716	16	4024-22C2494	Bolt - Whiz 3/8 UNC X 3/4	9	ALL
1026B0717	17	4001-22C2148	Bolt - Hex 1/4 X 3/4 UNC PLT	5	ALL
1026B0718	18	38-105042	Guard - Back Main Dri e	1	ALL
1026B0719	19	38-104989	Lid	1	ALL
1026B0720	20	38-104994	Hinge Bracket	1	ALL
1026B0721	21	5000-03-0250	Washer Lock 1/4	2	ALL
1026B0722	22	4001-22C2140	Bolt - Hex 1/4 X 1/2	2	ALL
1026B0723	23	4030-21C0200	Nut - Hex 1/4 dia	2	ALL
1026B0724	24	4001-22C2180	Bolt - Hex 1/4 UNC X 1-3/4	1	ALL
1026B0725	25	4049-13C0200	Nut - Nylon Lock 1/4 UNC	1	ALL
1026B0726	26	38-105108	Body	1	ALL
1026B0727	27	38-107282	Silencer Assembly (Incl.21 22 23 26 42)	1	ALL
1026B0728	28	4046-13C0235	Nut - Whiz 3/8 UNC	4	ALL
1026B0729	29	20-101782	Flange Hinge	1	ALL
1026B0730	30	5009-02-0313	Flatwasher 5/16" dia	13	ALL
1026B0731	31	5000-03-0313	Lockwasher - Standard 5/16 dia	1	ALL
1026B0732	32	4030-21C0220	Nut - Hex 5/16 UNC	6	ALL
1026B0733	33	38-104096	Flangette Seal Flattened	2	ALL
1026B0734	34	4049-13C0220	Nut - Nylon Lock 5/16 UNC	12	ALL
1026B0735	35	3320-00-0014	Seal Air Main Dri e	2	ALL
1026B0736	36	38-104134	Clean Out Door	1	ALL
1026B0737	37	4890-50-8006	Tekscrew - 10-16 X 1 Self-Drill & Tap	10	ALL
1026B0738	38	3703-04-0031	Back Deflector	1	ALL
1026B0739	39	3703-04-0033	Back Grain Deflector	1	ALL
1026B0740	40	3703-04-0032	Side Grain Deflector	1	ALL
1026B0741	41	3703-04-0035	Deflector - Inlet	1	ALL
1026B0742	42	38-104967	Exhaust Extension Assy. (Incl.19-25)	1	ALL
1026B0743	43	38-104968	Exhaust Extension Sub-Assy.	1	ALL




REVISED
MAR1/98

1026B EXHAUST EXTENSION


Page 8A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B0801	1	38-104994	Hinge Bracket	1	ALL
1026B0802	2	4001-22C2180	Bolt - Hex 1/4" x 1-3/4"	1	ALL
1026B0803	3	4001-22C2140	Bolt - Hex 1/4" x 1-1/2"	1	ALL
1026B0804	4	38-104989	Lid	1	ALL
1026B0805	5	4049-13C0200	Nut - NY Lock 1/4"	1	ALL
1026B0806	6	4030-21C0200	Nut - Hex 1/4"	1	ALL
1026B0807	7	5000-03-0250	Washer - Lock 1/4"	1	ALL
1026B0808	8	6755-00-0613	Monobolt 2771-0613	11	ALL
1026B0809	9	6738-00-1640	Hitch Pin #B-1640	2	ALL
1026B0810	10	38-104979	Clamp - Universal	1	ALL
1026B0811	11	6760-00-0124	Rivet - Shallow Tubular	2	ALL
1026B0812	12	6730-00-1721	Pin - Clevis 1/4" x 1-17/32"	2	ALL
1026B0813	13	20-104213	T-Adjustment Assembly	1	ALL
1026B0814	14	38-104993	Seal	1	ALL
1026B0815	15	38-104985	Exhaust Pipe Rolled	1	ALL
1026B0816	16	38-104968	Exhaust Extension Sub-Assy (incl.8-15)	1	ALL
1026B0817	17	38-104967	Exhaust Extension Assy (incl.1-7 & 16)	1	ALL



LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B0901	1	38-105035	Plate Bearing Mount	1	ALL
1026B0902	2	7222-01-2207	Flangette - PF207 (SKF)	4	ALL
1026B0903	3	7220-10-7106	Bearing - Ball AEL 205-100	1	ALL
1026B0904	4	07-100546	Key 5/16 X 2 1/2	1	ALL
1026B0905	5	38-104223	Sprocket 6017	1	ALL
1026B0906	6	4024-22C2494	Bolt - Whiz 3/8 UNC X 3/4	7	3900
1026B0907	7	4046-13C0235	Nut - Whiz 3/8 UNC	9	ALL
1026B0908	8	38-107084	Gearbox Guard	1	3900
1026B0909	9	38-107081	Gearbox Complete	1	3900
1026B0910	10	4046-13C0220	Nut - Whiz 5/16 UNC	2	ALL
1026B0911	11	38-107086	Guard Chain	1	3900
1026B0912	12	38-107078	Machined Hub	1	3900
1026B0913	13	38-105279	Machined Sprocket 6030	1	ALL
1026B0914	14	4001-22C2172	Bolt - Hex 1/4"x1 1/2"(See below to order kit of 10)	1	ALL
		38-110559	Shearbolt Kit-Qty of 10 of 4001-22C2172 & 4049-13C0200		
1026B0915	15	5860-40-0200	Snap Ring Waldes #5100-200	1	ALL
1026B0916	16	38-107080	Shear Sprocket Assy 6030 (incl. 12 13 14 15 31)	1	3900
1026B0917	17	38-107379	Auger Drive Chain #60	1	3900
1026B0918	18	7310-00-0008	Connector Link #60 Single	1	ALL
1026B0919	19	4030-21C0260	Nut - Hex 1/2 UNC	2	ALL
1026B0920	20	5000-03-0500	Lockwasher - Standard 1/2 dia	2	ALL
1026B0921	21	7015-00-6011	Sprocket Idler 06011E08	1	ALL
1026B0922	22	4001-22C2936	Bolt - Hex 1/2 X 3 GR5	1	3900
1026B0923	23	5009-02-0500	Flatwasher - Standard 1/2 dia	1	ALL
1026B0924	24	38-104221	Spacer	1	ALL
1026B0925	25	6777-02-0008	Idler Chain Spring	1	ALL
1026B0926	26	38-104220	Idler Arm	1	ALL
1026B0927	27	4008-22C2920	Bolt - Flathead 1/2 X 2	1	ALL
1026B0928	28	38-104222	Mount - Spacer	1	ALL
1026B0929	29	07-100517	Key 1/4 X 1/4 X 1 3/8	2	ALL
1026B0930	30	4020-10C2332	Set Screw 5/16 X 3/8	4	ALL
1026B0931	31	4049-13C0200	Nut - Nylon Lock 1/4"	1	ALL
1026B0932	32	6179-00-0002	Coupler Chain Doubl #5016	1	ALL
1026B0933	33	7020-00-0004	5016 CPLR Sprocket 1.25 HRDTH	2	3900
1026B0934	34	38-107082	Chain Coupler 5050 (incl. 30 32 33)	1	ALL
1026B0935	35	7220-06-7104	Brg-Ball NTN# UC207-104D1	1	ALL
1026B0936	36	38-107093	Mount Spacer Sleeve	1	3900
1026B0937	37	4024-22C0505	Bolt-Whiz 1/2 X 3/4	8	3900

LOWER AUGER
 (SEE PG.32 FOR HYD. LIFT OPTION)




REVISED
SEP 24/14

1026B LOWER AUGER

Page 10A
03/01/98


LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B1001	1	6730-00-0368	Cle is Pin 5/16 X 1 7/8	1	ALL
1026B1002	2	6738-00-0105	Hitch Pin - 3/32 X 1 3/16 (#090-105)	1	ALL
1026B1003	3	6777-02-0014	Left Torsion Spring	1	ALL
1026B1004	4	38-103590	Pipe T Weldment	1	ALL
1026B1005	5	38-103587	Anchor Adjustment Weldment	1	ALL
1026B1006	6	38-104593	Anchor Adjustment Assembly (Incl. 4&5)	1	ALL
1026B1007	7	6777-02-0015	Right Torsion Spring	1	ALL
1026B1008	8	4009-24C7658	Blt-Skt HD 7/16X5/8 Black	1	ALL
1026B1009	9	4024-22C2502	Bolt - Whiz 3/8 UNC x 1	8	ALL
1026B1010	10	4046-13C0235	Nut - Whiz 3/8 UNC	12	ALL
1026B1011	11	5860-40-0131	Snap Ring 1 5/16 (spacer)	1	ALL
1026B1012	12	38-104060	Flyting - 1st Section	1	ALL
1026B1012A	12A	P38-104372	Flyting HD - Lower - Chrome Surf.	1	ALL
1026B1013	13	38-108917	First Auger Tube	1	ALL
1026B1014	14	4033-12C0250	Nut - Hex am 7/16 UNC	1	ALL
1026B1015	15	38-103585	Latch Mount	1	ALL
1026B1016	16	4049-13C0220	Nut - Nylon Lock 5/16 UNC	1	ALL
1026B1017	17	5009-02-0313	Flatwasher 5/16 dia	2	ALL
1026B1018	18	38-104162	Lower Auger Latch	1	ALL
1026B1019	19	4001-22C2388	Bolt - Hex 5/16 X 2 1/4	1	ALL
1026B1020	20	38-104493	Auger Latch Assembly (Incl. 1-8 14-19)	1	ALL

MIDDLE AUGER
(SEE PG.32 FOR HYD. LIFT OPTION)




LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B1101	1	3890-00-0010	Sponge-FCCell Adhesi e Back	2	ALL
1026B1102	2	7220-06-5100	Bearing UC205-100 D1	2	ALL
1026B1103	3	38-104268	Center Bearing Support	2	ALL
1026B1104	4	38-105139	5/16" Spring Steel Pin	2	ALL
1026B1105	5	38-105137	Connect Hub Weldment	2	ALL
1026B1106	6	4001-22C2410	Bolt - Whiz 5/16 UNC X 3 1/2	4	ALL
1026B1107	7	4001-22C2188	Bolt - 1/4 X 2 UNC	2	ALL
1026B1108	8	6738-00-1640	Hitch Pin-.072 X 1-3/32 (SpaeNaur B1640)	4	ALL
1026B1109	9	38-104055	Hinge Pin	2	ALL
1026B1110	10	4049-13C0260	Nut - Nylon Lock 1/2 UNC	6	ALL
1026B1111	11	4001-22C2936	Bolt - Hex 1/2 X 3 UNC	6	ALL
1026B1112	12	38-105096	Cle is Bottom Right	1	ALL
1026B1113	13	38-105935	Bottom Auger Spring	2	ALL
1026B1114	14	38-105093	Cle is Bottom Left	1	ALL
1026B1115	15	38-107436	Red Reflector Tape 1" x 6"	1	ALL
1026B1116	16	4001-22C2904	Bolt - Hex 1/2 UNC X 1 1/2	2	ALL
1026B1117	17	38-103850	Washer Adjustment	2	ALL
1026B1118	18	5000-03-0500	Lockwasher - Standard 1/2" dia	2	ALL
1026B1119	19	4030-21C0260	Nut - Hex 1/2" UNC	2	ALL
1026B1120	20	38-105052	Cle is Top	2	ALL
1026B1121	21	38-105936	Upper Auger Spring	2	ALL
1026B1122	22	38-105038	Adjustable Le er Arm	2	ALL
1026B1123	23	6777-02-0011	Auger Assist Handle Retainer Spring	1	ALL
1026B1124	24	4049-13C0235	Nut - Nylon Lock 3/8" UNC	2	ALL
1026B1125	25	5009-02-0375	Flatwasher 3/8" dia	2	ALL
1026B1126	26	4001-22C2550	Bolt - 3/8" X 3" UNC	1	ALL
1026B1127	27	38-105134	Flyting - 2nd Section	1	ALL
1026B1127A	27A	P38-105142	Flyting HD - Middle - Chrome Surfaced	1	ALL
1026B1128	28	38-104080	Le er Arm	1	ALL
1026B1129	29	38-103737	Safety Latch	1	ALL
1026B1130	30	4001-22C2148	Bolt - Hex 1/4" X 3/4" UNC PLT	2	ALL
1026B1131	31	5009-02-0250	Flatwasher - USS 1/4" dia	1	ALL
1026B1132	32	6740-00-1588	Spring Pin 3/32" X 3/4"	1	ALL
1026B1133	33	38-103750	Safety Latch Linkage	1	ALL
1026B1134	34	6777-02-0005	Auger Spring	1	ALL
1026B1135	35	6730-00-2503	Cle is Pin 3/8" X 1"	1	ALL
1026B1136	36	6732-00-0008	Cotter Pin 3/32" X 1/2"	1	ALL
1026B1137	37	6740-00-1898	Spring Pin 3/16" X 1"	1	ALL
1026B1138	38	38-104026	Pin	1	ALL
1026B1139	39	38-104024	Le er Arms	2	ALL
1026B1140	40	6730-23-3003	Pin - Cle is #233-003	1	ALL
1026B1141	41	38-104023	Auger - 2nd Section	1	ALL
1026B1142	42	6729-00-1936	Cle is Yoke B-1936	1	ALL
1026B1143	43	38-103738	Safety Latch Bracket	1	ALL
1026B1144	44	4024-22C2344	Bolt - Whiz 5/16" UNC X 3/4"	4	ALL
1026B1145	45	4046-13C0220	Nut - Whiz 5/16" dia	4	ALL
1026B1146	46	38-103773	Strike Plate Front	1	ALL
1026B1147	47	5008-12-0500	Shake Proof Washer 1/2" dia	2	ALL
1026B1148	48	38-105099	Stop Spacer Blocks	2	ALL
1026B1149	49	4001-22C2546	Bolt-Hex 3/8" X 2-3/4"	1	ALL
1026B1150	50	38-107437	Amber Reflector Tape 1" x 6"	1	ALL
1026B1151	51	38-108418	Beraing Support Leg	4	ALL
1026B1152	52	5000-03-0313	Washer-Lock 5/16" Dia. Pltd.	4	ALL
1026B1153	53	38-111586	Dri e Lug Kit (Incl. #4 & #5)	1	ALL

UPPER AUGER (SEE PG.33 FOR HYD. LIFT OPTION)



LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B1201	1	3320-00-0005	Rubber Spout	1	ALL
1026B1202	2	38-103548	Retainer-Spout	2	ALL
1026B1203	3	4024-22C2352	Bolt - Whiz 5/16 UNC x 1	1	ALL
1026B1204	4	38-104058	Lid - Dump	1	ALL
1026B1205	5	38-103560	Lid - Large - Dump	1	ALL
1026B1206	6	6777-02-0012	Dump - Lid Spring	2	ALL
1026B1207	7	20-101187	Tension Adjuster - Dump	2	ALL
1026B1208	8	38-105166	Auger Dump	1	ALL
1026B1209	9	4046-13C0235	Nut - Whiz 3/8" UNC	10	ALL
1026B1210	10	7222-01-2206	Flangette -PF 206 MS-62	1	ALL
1026B1211	11	7220-10-6104	Bearing - Ball AEL 206-104	1	ALL
1026B1212	12	38-104151	206 - Flangette Machining	1	ALL
1026B1213	13	4046-13C0220	Nut - Whiz 5/16 UNC	12	ALL
1026B1214	14	4001-22C2502	Bolt - Hex 3/8 x 1 UNC Gr.5	2	ALL
1026B1215	15	4049-13C0235	Nut - NY Lock 3/8 UNC	2	ALL
1026B1216	16	6732-00-0009	Pin - Cotter 3/32 x 3/4	1	ALL
1026B1217	17	5009-02-0375	Washer - Flat 3/8 Dia.	1	ALL
1026B1218	18	38-103549	Handle - Latch Release	1	ALL
1026B1219	19	4891-ST-0278	Tapping Screws 8 -3/8 (ST-278)	2	ALL
1026B1220	20	38-111232	End Dump Liner Kit (Incl. 4 x Screw-Selftapping #10X1/2)	1	ALL
1026B1221	21	38-110633	End Dump Tube & Hardware	1	ALL
1026B1222	22	4001-22C2494	Bolt - Hex 3/8 x 3/4 Gr.5	7	ALL
1026B1223	23	38-105169	Pipe & Linkage	1	ALL
1026B1224	24	6732-00-0017	Pin - Cotter 1/8 x 1	1	ALL
1026B1225	25	6777-02-0005	Auger Spring GV	1	ALL
1026B1226	26	38-105168	Linkage Latch Anchor	1	ALL
1026B1227	27	38-105170	Auger Third Section	1	ALL
1026B1228	28	6730-00-0368	Pin - Cle is B-368	1	ALL
1026B1229	29	6730-00-1801	Pin - Cle is B-1801	1	ALL
1026B1230	30	4001-22C2388	Bolt - Hex 5/16 x 2-1/4 Gr.5	1	ALL
1026B1231	31	38-104493	Auger Latch Assembly	1	ALL
1026B1232	32	38-103585	Latch Mount	1	ALL
1026B1233	33	5009-02-0313	Washer - Flat 5/16 Dia.	4	ALL
1026B1234	34	4049-13C0220	Nut - Ny Lock 5/16 UNC	1	ALL
1026B1235	35	6738-00-0105	Pin - Hitch Clip 090-105	1	ALL
1026B1236	36	38-103587	Anchor Adjustment	1	ALL
1026B1237	37	38-103590	Pipe - T	1	ALL
1026B1238	38	38-108591	Anchor Adjustment Assy	1	ALL
1026B1239	39	4033-12C0250	Nut - am Hex 7/16 UNC	1	ALL
1026B1240	40	4009-24C7658	Blt-Skt HD 7/16X5/8 Black	1	ALL
1026B1241	41	4024-22C2344	Bolt - Whiz 5/16 x 3/4	11	ALL
1026B1242	42	38-108954	Striker Plate	1	ALL
1026B1243	43	38-104062	Flyting - Upper Auger 64"	1	ALL
1026B1243A	43A	P38-104374	Flyting HD - Upper - Chrome Surfaced	1	ALL




REVISED
MAR1/98

1026B REAR PULLEY DRIVE


Page 13A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B1301	1	4024-22C2494	Bolt - Whiz 3/8 UNC x 3/4	6	ALL
1026B1302	2	4046-13C0235	Nut - Whiz 3/8 UNC	6	ALL
1026B1303	3	38-105040	Guard - Front Main Drive	1	ALL
1026B1304	4	5000-03-0250	Lockwasher - Standard 1/4 dia	5	ALL
1026B1305	5	4030-21C0200	Nut - Hex 1/4 UNC	5	ALL
1026B1306	6	38-103616	Power Shaft	1	ALL
1026B1307	7	07-100546	Key 5/16 x 2 1/2	1	ALL
1026B1308	8	7228-10-7106	Bearing AELF207-106	1	ALL
1026B1309	9	4030-21C0260	Nut - Hex 1/2 UNC	4	ALL
1026B1310	10	7005-6Q-0250	Sheave 6 Groove 3V25.00E	1	ALL
1026B1311	11	3306-00-0001	Belt - 6R-3VX1120	1	ALL
1026B1312	12	7001-07-1375	Bushing-Split Taper E 1-3/8 c/w #13	1	ALL
1026B1313	13	4001-22C2928	Bolt - Hex 1/2 x 2 1/2	3	ALL
1026B1314	14	5000-03-0500	Lockwasher - Standard 1/2 dia.	4	ALL

FAN DRIVE



LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B1401	1	4001-32C2518	Hex Hd Bolt 3/8 x 1 1/2 Fedalloy	3	ALL
1026B1402	2	5000-63-0375	Lockwasher - Fedalloy 3/8 dia.	7	ALL
1026B1403	3	7000-06-1375	Split Taper Bushing Q1-1 3/8	1	ALL
1026B1404	4	38-103564	Rotor	1	ALL
1026B1405	5	07-100546	Key 5/16 x 2 1/2	2	ALL
1026B1406	6	38-104053	Rotor Shaft	1	ALL
1026B1407	7	38-103572	Co er Plate-Fan	1	ALL
1026B1408	8	4030-21C0235	Nut - Hex 3/8 UNC	8	ALL
1026B1410	10	5009-02-0375	Flatwasher 3/8" dia.	4	ALL
1026B1411	11	4001-22C2502	Bolt - Hex 3/8" x 1" UNC	4	ALL
1026B1412	12	38-103643	Idler Mount	1	ALL
1026B1413	13	4030-21C0260	Nut - Hex 1/2" UNC	11	ALL
1026B1414	14	5000-03-0500	Lockwasher - Standard 1/2" dia.	9	ALL
1026B1415	15	38-103700	Idler Fork	1	ALL
1026B1416	16	38-107304	Spring Tension Gauge	1	ALL
1026B1417	17	4001-22C2968	Bolt - 1/2" x 5" UNC	1	ALL
1026B1418	18	7001-05-1375	Bushing - SK 1 3/8	1	ALL
1026B1419	19	7005-6Q-0053	Shea e 3V5.30 SK	1	ALL
1026B1420	20	4020-10F-2134	Socket Setscrew 1/4"-28 x 5/16"	2	ALL
1026B1421	21	4001-22C2904	Bolt - Hex 1/2" UNC x 1 1/2"	4	ALL
1026B1422	22	7228-13-7106	Bearing UELFU 207-106 DI	2	ALL
1026B1423	23	4046-13C0235	Nut - Whiz 3/8" UNC	26	ALL
1026B1424	24	38-103644	Spacer	1	ALL
1026B1425	25	01-201527-1	Idler Tension Spring	1	ALL
1026B1426	26	4001-22C2546	Bolt - Hex 3/8" x 2 3/4"	1	ALL
1026B1427	27	38-103646	T-Adjustment	1	ALL
1026B1428	28	4049-13C0235	Nut - Nylon Lock 3/8" UNC	1	ALL
1026B1429	29	38-103647	Tension Bracket	1	ALL
1026B1430	30	38-103641	Spacer Bushing - Idler	2	ALL
1026B1431	31	7006-01-0580	Pulley - Idler	1	ALL
1026B1432	32	7224-00-0001	Lockcollar Browning SC-1	1	ALL
1026B1433	33	6215-00-0614	Grease Zerk 1/4" x 28	1	ALL
1026B1434	34	38-104193	Idler Assembly (inc.-13 14 15 16 17 24 25 27 29 30 31 33)	1	ALL
1026B1435	35	5868-02-1215	Bearing Spacer	2	ALL
1026B1436	36	4024-22C2502	Bolt Whiz - 3/8" x 1"	2	ALL




REVISED
JAN 05/12

1026B DRUM ASSEMBLY

Page 15A
03/01/98


LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B1501	1	07-100525	Cutoff-Air	1	ALL
1026B1502	2	4024-22C2344	Bolt - Whiz 5/16 UNC X 3/4	6	ALL
1026B1503	3	4046-13C0220	Nut - Whiz 5/16 UNC	15	ALL
1026B1504	4	20-104179	Pulley #DB-80-979 (c/w Set Screws #5&1	1	ALL
1026B1505	5	4020-10C2481	Set Screw - Socket Hd 3/8 UNC X 1/4	1	ALL
1026B1506	6	4020-10C2482	Set Screw - Socket Hd 3/8 UNC X 3/8	1	ALL
1026B1507	7	38-104145	Arm-Idler	1	ALL
1026B1508	8	5009-02-0500	Flatwasher - Standard 1/2 Dia	1	ALL
1026B1509	9	4030-21C0260	Nut - Hex 1/2 UNC	2	ALL
1026B1510	10	7006-02-0550	Idler Pulley BCFI-92-008	1	ALL
1026B1511	11	5000-03-0500	Lockwasher - Standard 1/2 dia	1	ALL
1026B1512	12	4001-22C2920	Bolt - Hex 1/2 UNC X 2	1	ALL
1026B1513	13	20-101272	Drum Idler Spacer	1	ALL
1026B1514	14	38-104209	Drum Idler Assy (Incl. 7,9,10,11,12,13)	1	ALL
1026B1515	15	6777-02-0001	Idler Chain Spring	1	ALL
1026B1516	16	38-105014	Cast Inlet Machined	1	ALL
1026B1517	17	5860-30-0100	Snap Ring - exterior 1" dia	As Required	ALL
1026B1518	18	38-105016	Center Weldment	1	ALL
1026B1519	19	7217-01-0001	Bearing 205-16 RKG 5	2	ALL
1026B1520	20	7222-01-2205	Flangette PF-205 MS-52	4	ALL
1026B1521	21	3305-16-2360	Belt BX-90	1	ALL
1026B1522	22	4030-21C0235	Nut - Hex 3/8 UNC	2	ALL
1026B1523	23	4018-10C2502	Set Screw - Square Head 3/8 UNC X 1	2	ALL
1026B1524	24	38-104181	Pulley DB-272-501	1	ALL
1026B1525	25	07-100517	Key 1/4 X 1/4 X 1 3/8	2	ALL
1026B1526	26	20-101313	Drum Cover Plate	1	ALL
1026B1527	27	4020-10C2329	Socket Hd Set Screw 5/16 x 1/4	2	ALL
1026B1528	28	38-105012	Coarse Screen Drum Shell	1	ALL
1026B1529	29	20-101317	Drum Shaft	1	ALL
1026B1530	30	38-105011	Coarse Drum (incl.1-3,18-20,25,28, ,29,34,35)	1	ALL
1026B1531	31	38-104150	205 Flangette Machining	1	ALL
1026B1532	32	7220-10-5160	Brg-Ball SA205-16G	2	ALL
1026B1533	33	4046-13C0235	Nut - Whiz 3/8 UNC	18	ALL
1026B1534	34	4049-13C0200	Nut - Nylon Lock 1/4 UNC	3	ALL
1026B1535	35	4024-22C2140	Bolt - Whiz 1/4 UNC X 1/2	3	ALL
1026B1536	36	38-105927	Guide Bearing Mount	2	ALL




LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B1601	1	38-104215	Door	1	ALL
1026B1602	2	38-111291	Updated 7" Bell Clamp	1	ALL
1026B1603	3	6190-00-0128	Hose Clamp HAS-128 8" dia.	2	ALL
1026B1604	4	38-108923	Alum-Bin Load Out Assy	1	ALL
1026B1605	5	3420-07-0018	7" Hose - Basketweave 12' 6"	1	4280
1026B1606	6	38-103856	7" Hose End - Male End	1	ALL
1026B1607	7	38-108281	7" Hose -Basketweave Comp. (Incl. 2 3 5 6)	1	4280
1026B1608	8	38-104112	7" StainlessSteel Hose (Incl. 9 10 12 20)	1	ALL
1026B1609	9	38-111291	Updated 7" Bell Clamp (Incl. 21-27 & 29)	2	ALL
1026B1610	10	3422-07-0001	7" X 81" Stainless Steel Hose	1	ALL
1026B1611	11	6760-00-0167	Rivet - Shallow Tub RVT-167	8	ALL
1026B1612	12	38-103856	7" Hose End	2	ALL
1026B1613	13	38-105260	7" X 87" Alum. Pipe Comp. (Incl. 11 14 15)	1	ALL
1026B1614	14	5195-01-0001	7" Hose End Complete (Incl. 21-28)	2	ALL
1026B1615	15	38-105258	87" Aluminum Pipe	1	ALL
1026B1616	16	38-105259	7" X 54" Aluminum Pipe Comp (Incl 11 14 17)	1	ALL
1026B1617	17	38-105257	54" Aluminum Pipe	1	ALL
1026B1618	18	3422-07-0002	7" X 29" Stainless Steel Hose	1	ALL
1026B1619	19	38-105143	7" X 29" Stainless Steel Hose Comp (Incl. 9 20 12 18)	1	ALL
1026B1620	20	6760-00-0014	Rivet-Shallow Tub RVT-14	16	ALL

1026B HOSE CLAMP 7" DIAM.

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B1621	21	6730-00-1721	Clevis Pin 1/4 x 1 17/32	2	ALL
1026B1622	22	6732-00-0008	Cotter Pin 3/32 x 1/2	1	ALL
1026B1623	23	38-104979	Clamp - Universal Handle	1	ALL
1026B1624	24	20-101209	T-Adjustment	1	ALL
1026B1625	25	6738-00-1640	Hitch Pin .072 x 1 3/32 (SPAENAUER B1640)	1	ALL
1026B1626	26	20-101208	T-Tension Adjustment	1	ALL
1026B1627	27	6760-00-0124	Rivet Shallow Tubular RVT-124	2	ALL
1026B1628	28	38-103867	7" Clamp Band	1	ALL
1026B1629	29	38-103868	7" Clamp Band & Tube	1	ALL




TELESCOPING TUBE – 8FT.



LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B1701	1	38-104974	Barrel Weldment	1	ALL
1026B1702	2	38-104978	Clamp - Final Assembly 8"	1	ALL
1026B1703	3	38-104972	Slide Tube	1	ALL
1026B1704	4	5195-01-0001	7" Hose End Complete (See Pg.16)	1	ALL
1026B1705	5	6755-00-0613	Ri et - Monobolt (a del #2771-0613)	8	ALL
1026B1706	6	38-104977	Seal - Cut Ring	1	ALL
1026B1707	7	6760-00-0167	Shallow Tubular 3/16 x 5/16 Ri et	10	ALL
1026B1708	8	4880-12C1438	Screw-Machine 1/4 x 3/8	4	4040
1026B1709	9	4049-13C0200	Nut-Ny Lock 1/4" Gr.5	4	4040
1026B1710	10	38-107443	Loadout Nozzle Sub-Assy (Incl.3 4 7 8 &9)	1	4040
1026B1711	11	38-107440	Telescoping End Tube Assy. (Incl.1 2 5-7)	1	4040
1026B1712	12	38-104966	Telescoping Loadout Nozzle (Incl.10 & 11)	1	4040


TELESCOPING TUBE OPTION - (8ft - Collapsed Lgth)

1026B1713	13	38-108116	Telescoping Loadout - 8 ft. (Incl. 14 & 15)	1	ALL
1026B1714	14	38-108118	Telescoping Sub-Assy (Incl. 4 7 8 9 & 17)	1	ALL
1026B1715	15	38-108117	Telescoping End Assy (Incl. 2 5 6 7 & 16)	1	ALL
1026B1716	16	38-108121	End Tube Weldment	1	ALL
1026B1717	17	38-108119	Slide Tube	1	ALL




LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B1801	1	3420-01-0011	Rubber Handle Grips	3	ALL
1026B1802	2	38-105075	Handle	1	ALL
1026B1803	3	38-105084	Air Intake Co er Plate	1	ALL
1026B1804	4	38-107278	Skid Plate	1	3900
1026B1805	5	38-107378	7" Vacuum Nozzle	1	3900
1026B1806	6	38-107279	Wheel Mount	1	3900
1026B1807	7	4001-22C2180	Bolt - Hex 1/4" x 1-3/4" UNC GR.5	1	ALL
1026B1808	8	4049-13C0200	Nut - NY Lock 1/4" UNC GR.5	1	ALL
1026B1809	9	4049-13C0220	Nut - NY Lock 5/16" UNC GR.5	1	ALL
1026B1810	10	5009-02-0313	Washer - Flat 5/16" dia. USS	1	ALL
1026B1811	11	5009-02-0500	Washer - Flat 1/2" dia. USS	2	ALL
1026B1812	12	4001-22C2368	Blt-Hex 5/16" x 1 1/2" UNC GR.5	1	3900
1026B1813	13	6733-00-0002	Pins - Lock 1/4" x 1 3/8"	1	ALL
1026B1814	14	6777-02-0007	Nozzle Spring GV Pltd.	1	ALL
1026B1815	15	7090-00-0008	Wheel - 6"dia.	2	ALL
1026B1816	16	4001-22C2502	Blt-Hex 3/8" x 1" UNC GR.5	1	3900
1026B1817	17	4001-22C2928	Blt-Hex 1/2" x 2 1/2" UNC PLTD. GR.5	2	3900
1026B1818	18	4008-22C2156	Blt-FI HD Skt 1/4" x 1" UNC PLTD GR.5	3	3900
1026B1819	19	4030-21C0235	Nut-Hex 3/8" UNC GR.5	1	3900
1026B1820	20	4046-13C0200	Nut-Whiz Flg 1/4" UNC GR.5	3	3900
1026B1821	21	4049-13C0260	Nut-NY Lock 1/2" UNC GR.5	2	3900
1026B1822	22	38-107099	7" Vacuum Nozzle Assy. (Incl.1-21)	1	3900

SIDE VIEW



CROSS SECTION A-A








REVISED
DEC.8/98

1026B GEARBOX

Page 19A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B1901	1	7500-00-4452	Case-6000 #1024-5	1	3900
1026B1902	2	7500-00-4453	Co er-1121 #1121	1	3900
1026B1903	3	7500-00-4454	Co er-Stamping #1154	1	3900
1026B1904	4	7500-00-4455	Shim #1537	as re 'd	3900
1026B1905	5	7500-00-4456	Bearing Cone #1404	4	3900
1026B1906	6	7500-00-4457	Bearing Cup #1405	4	3900
1026B1907	7	7500-00-4458	Snap Ring #1603	2	3900
1026B1908	8	7500-00-4459	Key-1/4" S uare #1651	2	3900
1026B1909	9	7500-00-4460	Washer #1805	3	3900
1026B1910	10	7500-00-4461	Seal #1472	1	3900
1026B1911	11	7500-00-4462	Seal #1471	1	3900
1026B1912	12	7500-00-4463	Bolt-3/8"-16 UNC x 1" Gr.5 #1705	4	3900
1026B1913	13	7500-00-4464	Spacer #2861	1	3900
1026B1914	14	7500-00-4465	Pipe Plug-3/8" NPT #1872	2	3900
1026B1915	15	7500-00-4466	Vent-3/8" NPT #1879	1	3900
1026B1916	16	7500-00-4467	Gear-17T #1207	2	3900
1026B1917	17	7500-00-4468	Quill Shaft #5023	1	3900
1026B1918	18	7500-00-4469	Cross Shaft #5019	1	3900
1026B1919	19	7500-00-4470	Shim #1511	as re 'd	3900
1026B1920	20	7500-00-4471	Shim #1512	as re 'd	3900
1026B1921	21	7500-00-4472	Shim #1513	as re 'd	3900
1026B1922	22	7500-00-4473	Snap Ring #1600	1	3900
1026B1923	23	7500-00-4474	Exp. Plug #1855	1	3900
1026B1924	24	38-107081	Prarie Gear Gearbox Comp. (incl. 1-23)	1	3900

MISCELLANEOUS ITEMS




REVISED
NOV 8/00

1026B MISCELLANEOUS ITEMS

Page 20A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B2001	1	0751-00-4145	Buff Spray Enamel 350g	1	ALL
1026B2002	2	0751-00-0005	Charcoal Spray Enamel 350g	1	ALL
1026B2003	3	3890-00-0004	Neoprene 1/4 X 1-1/2 "	per foot	ALL
1026B2004	4	38-107211	45 Deg. Elbow	1	ALL
1026B2005	5	38-107210	90 Deg Elbow	1	ALL

FINE SCREEN DRUM
(OPTION)




REVISED
MAR1/98

1026B FINE SCREEN DRUM
(OPTION)


Page 21A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B2101	1	38-105146	Drum Fine Screen	1	ALL
1026B2102	2	4024-22C2156	1/4 x 1 UNC Whiz Bolt	3	ALL
1026B2103	3	4049-13C0200	1/4 UNC Nylon Lock Nut	3	ALL
1026B2104	4	38-105016	Center Weldment	1	ALL
1026B2105	5	7222-01-2205	Flangette PF-205 MS-52	4	ALL
1026B2106	6	4024-22C2344	Bolt-Whiz 5/16 x 3/4 UNC	6	ALL
1026B2107	7	7217-01-0001	SB205-16RKG5 Bearing	2	ALL
1026B2108	8	4046-13C0220	Nut-Whiz 5/16 UNC	6	ALL
1026B2109	9	20-101317	Shaft-Drum	1	ALL
1026B2110	10	07-100517	Key	1	ALL
1026B2111	11	07-100525	Air Cut Off	1	ALL
1026B2112	12	38-105145	Drum-Fine Screen Complete (incl.1-11)	1	ALL



LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B2201	1	4046-13C0235	Nut-Whiz 3/8 UNC.	4	ALL
1026B2202	2	38-104552	Brush Attachment-Right Support	1	ALL
1026B2203	3	4024-22C2164	Bolt-Whiz 1/4 X 1 1/4	1	ALL
1026B2204	4	4046-13C0200	Nut-Whiz 1/4" UNC	2	ALL
1026B2205	5	5009-02-0375	Washer-Flat 3/8 Dia USS	2	ALL
1026B2206	6	6777-02-0008	Idler Chain Spring	2	ALL
1026B2207	7	4049-13C0235	Nut-NY Lock 3/8 UNC	2	ALL
1026B2208	8	38-104554	Left Support Hinge	1	ALL
1026B2209	9	4024-22C2502	Bolt-Whiz 3/8 X 1 Grade 5	1	ALL
1026B2210	10	38-104553	Brush Attachment- Left Support	1	ALL
1026B2211	11	4024-22C2494	Bolt-Whiz 3/8 x 3/4	2	ALL
1026B2212	12	4065-22C2518	Bolt-Hex 3/8 x 1 1/2 Full Thread	2	ALL
1026B2213	13	38-104555	Brush Mount Bracket	2	ALL
1026B2214	14	6755-00-0613	Ri et - Monobolt 2771-0613	8	ALL
1026B2215	15	38-104557	Brush Holder	1	ALL
1026B2216	16	0049-00-0001	Brush	2	ALL
1026B2217	17	38-104556	Brush Sub Assembly (Incl. 13-16)	1	ALL
1026B2218	18	38-104551	Drum Brush Kit (Incl.1-17)	1	ALL

STUB UNLOAD AUGER




REVISED
DEC.22/00

1026B STUB UNLOAD AUGER
OPTION

Page 23A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B2301	1	3320-00-0005	Spout - 3/16" x 17" Belting	1	ALL
1026B2302	2	38-103548	Retainer - Spout	2	ALL
1026B2303	3	4024-22C2352	Bolt - Whiz 5/16" x 1" UNC Pltd.	8	ALL
1026B2304	4	38-104058	Weldment - Lid - Dump	1	ALL
1026B2305	5	38-103560	Lid - Large - Dump	1	ALL
1026B2306	6	4046-13C0235	Nut - Whiz 3/8" UNC Pltd.	3	ALL
1026B2307	7	7222-01-2206	Flangette - PF 206 MS-62	1	ALL
1026B2308	8	7220-10-6104	Brg - Ball AEL 206-104	1	ALL
1026B2309	9	38-104151	206 - Flangette Machining	1	ALL
1026B2310	10	4046-13C0220	Nut - Whiz 5/16" UNC Pltd.	8	ALL
1026B2311	11	38-104956	Stub Dumper	1	ALL
1026B2312	12	38-104169	Foam Auger Seal	1	ALL
1026B2313	13	7220-06-5100	Bearing UC205-100 D1	1	ALL
1026B2314	14	38-105137	Connect Hub	1	ALL
1026B2315	15	38-105139	5/16" Spring Steel Pin	1	ALL
1026B2316	16	38-104268	Center Bearing Support	1	ALL
1026B2317	17	38-104960	Auger - Short Dump	1	ALL
1026B2318	18	20-101187	Dump Tension Adjuster	2	ALL
1026B2319	19	6777-02-0012	Dump Lid Spring	2	ALL
1026B2320	20	38-108418	Bearing Support Leg	2	ALL
1026B2321	21	4001-22C2410	Bolt-Hex 5/16 x 3 1/2 UNC Gr.5	2	ALL
1026B2322	22	5000-03-0313	Washer-Lock 5/16 Dia. Pltd.	2	ALL
1026B2323	23	38-104955	Stub Dumper Final Assy (incl.1-21)	1	ALL



REVISED
FEB.25/00


1026B TRANSPORT LIGHTING PACKAGE
OPTION

Page 24A
03/01/98


LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B2401	1		Clearance Light	2	ALL
1026B2402	2		Nut-Whiz 1/4"	6	ALL
1026B2403	3		Curb Side Light	1	ALL
1026B2404	4		Road Side Light	1	ALL
1026B2405	5		License Plate Holder	1	ALL
1026B2406	6	8400-00-0003	Cable Tie - 15 1/4"	6	ALL
1026B2407	7	8885-00-0005	Adapter-4 Flat to 7 Round	1	ALL
1026B2408	8	38-104637	Trailer Light Kit (incl.item #6 #7 & 8575-00-0001)	1	ALL

NOTE ITEM 1 - 5 ARE CONTAINED UNDER #8575-00-0001 (GV LIGHTING PACKAGE)

DUST COLLECTOR COMPLETE




72" EXHAUST EXTENSION



LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B2501	1	38-105283	Exhaust Cap	1	ALL
1026B2502	2	4890-50-8005	Screw-Teks Hex 10-16 x 3/4	16	ALL
1026B2503	3	4001-22C2432	Bolt - Hex 5/16 x 5 Grade 5 UNC Plated	1	ALL
1026B2504	4	38-105282	Exhaust Body	1	ALL
1026B2505	5	38-105281	Main Body	1	ALL
1026B2506	6	38-105284	Lower Elbow	1	ALL
1026B2507	7	38-107772	Dust Bag Assembly	1	ALL
1026B2508	8	4049-13C0220	Nut- NY Lock 5/16 UNC Grade 5	1	ALL
1026B2509	9	4024-22C2494	Bolt - Whiz 3/8 UNC x 3/4	4	ALL
1026B2510	10	4046-13C0235	Nut - Whiz 3/8 UNC	4	ALL
1026B2511	11	3890-00-0002	Neoprene 1/8 X 3/8	5'	ALL
1026B2512	12	38-105280	Dust Collector Complete	1	ALL

1026B EXHAUST EXTENSION ADAPTER- 72" LONG
OPTION

1026B2513	13	38-104994	Hinge Bracket	1	ALL
1026B2514	14	4001-22C2180	Bolt -Hex 1/4 x 1 3/4 UNC Plated	1	ALL
1026B2515	15	4001-22C2140	Bolt -Hex 1/4 x 1/2 UNC Plated	5	ALL
1026B2516	16	38-104989	Lid	1	ALL
1026B2517	17	4049-13C0200	Nut -Ny Lock 1/4 UNC Gr.5	1	ALL
1026B2518	18	4030-21C0200	Nut -Hex 1/4 UNC Gr.5	1	ALL
1026B2519	19	5000-03-0250	Washer - Lock 1/4	5	ALL
1026B2520	20	38-105560	Exhaust Extension	1	ALL
1026B2521	21	4046-13C0200	Nut-Whiz 1/4" Dia. Plated	4	ALL
1026B2522	22	38-107282	Silencer Assembly (Incl. 13-19)	1	ALL
1026B2523	23	38-106707	Exhaust Extension Adapter Kit (Incl.15 18 20 21)	1	ALL




REVISED
MAR1/98

1026B TRANSITION (6" to 7")
OPTION

Page 26A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B2601	1	6730-00-1721	Cle is Pin 1/4 x 1 17/32	2	ALL
1026B2602	2	6732-00-0008	Cotter Pin 3/32 x 1/2	1	ALL
1026B2603	3	38-104979	Clamp - Uni ersal	1	ALL
1026B2604	4	20-101209	T-Adjustment	1	ALL
1026B2605	5	6738-00-1640	Pin-Hitch Clip (Spae Naur B1640)	1	ALL
1026B2606	6	20-101208	T-Tension Adjustment	1	ALL
1026B2607	7	6760-00-0124	Ri et Shallow Tubular RVT-124	2	ALL
1026B2608	8	38-105261	Reducer 6" to 7" -Weldment	1	ALL
1026B2609	9	38-104690	6" to 7" Reducer Assembly (incl. 1-8)	1	ALL




REVISED
MAR1/98

1026B TRANSITION (7" to 6")
OPTION

Page 27A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B2701	1	6730-00-1721	Cle is Pin 1/4 x 1 17/32	2	ALL
1026B2702	2	6732-00-0008	Cotter Pin 3/32 x 1/2	1	ALL
1026B2703	3	38-104979	Clamp - Uni ersal	1	ALL
1026B2704	4	20-101209	T-Adjustment	1	ALL
1026B2705	5	6738-00-1640	Pin-Hitch Clip (Spae Naur B1640)	1	ALL
1026B2706	6	20-101208	T-Tension Adjustment	1	ALL
1026B2707	7	6760-00-0124	Ri et Shallow Tubular RVT-124	2	ALL
1026B2708	8	38-103896	Reducer 7" to 6"	1	ALL
1026B2709	9	38-103897	7" Band to 6" Clamp-Reducer (incl.1-8)	1	ALL




REVISED
MAR1/98

1026B TRANSITION AERATION
OPTION


Page 28A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B2801	1	20-101873	Transition Aeration (comes complete)	1	ALL


STEEL FLEX HOSE (6 INCH)
(OPTION)



LIGHTWEIGHT RUBBER FLEX HOSE
(10 feet of 6 inch)



HOSE CLAMP – 6” DIA.
(OPTION)



REVISED
MAR1/98

1026B STEEL FLEX HOSE (6 inch)
(OPTION)

Page 29A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B2901	1	20-101427	6" Hose Clamp Comp. (Incl.11-17)	1	ALL
1026B2902	2	6760-00-0014	Ri et - Shallow Tub Ri et-14	12	ALL
1026B2903	3	3422-06-0001	6" x 72" Steel Hose	1	ALL
1026B2904	4	20-101286	6" Hose End	1	ALL
1026B2905	5	20-101442	6" x 72" Steel Hose Complete (incl.1-4)	1	ALL


1026B LIGHTWEIGHT RUBBER FLEX HOSE
(OPTION)

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B2906	6	20-101427	6" Hose Clamp Comp.(Incl. 11-17)	1	ALL
1026B2907	7	6190-00-0104	Hose Clamp HS-104 6" Dia.	2	ALL
1026B2908	8	3420-06-0012	6" x 10' Light Rubber Hose	1	ALL
1026B2909	9	20-101286	6" Hose End	1	ALL
1026B2910	10	20-101468	6" x 10' Lt. Rubber Hose Comp (incl.6-9	1	ALL

1026B HOSE CLAMP 6" DIAM.
(OPTION)

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B2911	11	6730-00-1721	Cle is Pin 1/4 x 1 17/32	2	ALL
1026B2912	12	6732-00-0008	Cotter Pin 3/32 x 1/2	1	ALL
1026B2913	13	38-104979	Clamp - Uni ersal Handle	1	ALL
1026B2914	14	20-101209	T-Adjustment	1	ALL
1026B2915	15	6738-00-1640	Hitch Pin .072 x 1 3/32 (SPAENAU B1640)	1	ALL
1026B2916	16	20-101208	T-Tension Adjustment	1	ALL
1026B2917	17	6760-00-0124	Ri et Shallow Tubular RVT-124	2	ALL

DRILL CLEANOUT HOSE
(4 inch)




REVISED
APR28/99

1026B DRILL CLEANOUT HOSE (4 INCH)
(OPTION)

Page 30A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B3001	1	20-101341	6" to 4" Hose Adapter	1	ALL
1026B3002	2	3420-04-0003	4" Hea y Rubber Hose (per ft.)	1	ALL
1026B3003	3	07-100821	4" Hose End	1	ALL
1026B3004	4	6190-00-0072	4" Hose Clamp HS-72	2	ALL
1026B3005	5	20-101340	4" x 12' Hea y Rubber Hose Complete (INCL.1-4)	1	ALL
1026B3006	6	38-107498	7" to 4" Hose Adapter	1	ALL
1026B3007	7	38-107497	4" x 12' Hea y Hose (7 - 4 Adapter) (INCL. 2 3 4 & 6)	1	ALL

STRAIGHT ALUMINUM PIPE
(10 feet of 7 inch)




REVISED
AN11/07

1026B STRAIGHT ALUMINUM PIPE
OPTION

Page 31A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B3101	1	38-104558	7" x 10' Aluminum Pipe	1	ALL
1026B3102	2	6760-00-0167	Ri et - Shallow Tubular RVT-167	4	ALL
1026B3103	3	5195-01-0001	7" Hose End Complete (see pg.16)	1	ALL
1026B3104	4	38-104312	7" x 10' Aluminum Pipe with one end (INCL.1-3)	1	ALL

LOWER/MIDDLE AUGER ASSEMBLY
(HYDRAULIC LIFT OPTION)



REVISED
SEP 24/14


LOWER/MIDDLE AUGER ASSEMBLY
HYDRAULIC LIFT OPTION

Page 32A
03/01/98

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B3201	1	38-105134	Flyting-Middle Auger Section	1	ALL
1026B3201A	1A	P38-105142	Flyting HD - Middle - Chrome Surfaced	1	ALL
1026B3202	2	7220-06-5100	Bearing-Ball UC205-100DI	2	ALL
1026B3203	3	38-104268	Center Bearing Support	2	ALL
1026B3204	4	38-105139	5/16" Spring Steel Pin	2	ALL
1026B3205	5	38-105137	Connect Hub	2	ALL
1026B3206	6	4001-22C2410	Bolt-Hex 5/16 x 3 1/2 UNC Gr.5	4	ALL
1026B3207	7	38-107251	Middle Auger Tube	1	ALL
1026B3208	8	38-107115	Lower Auger Tube	1	ALL
1026B3209	9	38-108846	Upper Cylinder Arm	1	ALL
1026B3210	10	38-107542	Lift Pin	3	ALL
1026B3211	11	38-107752	Lower Pi ot Shaft	2	ALL
1026B3212	12	38-107197	Lower Lift Arm	2	ALL
1026B3213	13	9005-47-0006	Decal-High Pressure Fluid	2	ALL
1026B3214	14	4046-13C0220	Nut-Whiz 5/16" Dia. UNC	3	ALL
1026B3215	15	6215-00-0614	Grease Zerk 1/4"-28 Straight	8	ALL
1026B3216	16	38-104169	Foam Seal	1	ALL
1026B3217	17	38-107681	MiddleAuger Assy(1-7 9 10 12 14 15 20 21 2	1	4680
1026B3218	18	4001-22C2384	Bolt-Hex 5/16 x 2 UNC Gr.5	2	ALL
1026B3219	19	4049-13C0220	Nut-Ny Lock 5/16 UNC Gr.5	2	ALL
1026B3220	20	4024-22C2344	Bolt-Whiz 5/16 x 3/4 UNC Gr.5	3	ALL
1026B3221	21	38-108418	Bearing Support Leg	4	ALL
1026B3222	22	5000-03-0313	Washer-Lock 5/16 Dia. Pltd.	4	ALL
1026B3223	23	38-111586	Dri e Lug Kit	1	ALL


NOTE LOWER AUGER SECTION # 38-104060 (FLYTING-1st SECTION)
P38-104372 (FLYTING HD - LOWER - HD - CHROME SURF.

UPPER AUGER ASSEMBLY
(HYDRAULIC LIFT OPTION)



LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B3301	1	38-107679	Upper Auger Section Assy. (Incl.2-22 & 26)	1	ALL
1026B3302	2	20-101187	Tension Adjustment - Dumper	2	ALL
1026B3303	3	3320-00-0005	Rubber Spout	1	ALL
1026B3304	4	38-103548	Retainer Spout	2	ALL
1026B3305	5	38-104151	206-Flangette Machining	1	ALL
1026B3306	6	38-105166	Auger Dump	1	ALL
1026B3307	7	38-107199	Upper Lift Arm	1	ALL
1026B3308	8	38-107477	Transport Lock	1	ALL
1026B3309	9	38-107483	Upper Auger Tube	1	ALL
1026B3310	10	38-107542	Lift Pin	1	ALL
1026B3311	11	38-107652	Flyting-Third Section	1	ALL
1026B3311A	11A	P38-107684	Flyting HD - Upper - Chrome Surfaced	1	ALL
1026B3312	12	38-104169	Foam Seal	1	ALL
1026B3313	13	4001-22C2494	Bolt-Hex 3/8 x 3/4 UNC Gr.5	8	ALL
1026B3314	14	4024-22C2344	Bolt-Whiz 5/16 x 3/4	12	ALL
1026B3315	15	4024-22C2352	Bolt-Whiz 5/16 x 1 UNC Gr.5	1	ALL
1026B3316	16	4046-13C0220	Nut-Whiz Flg. 5/16 UNC Gr.5	13	ALL
1026B3317	17	4046-13C0235	Nut-Whiz Flg. 3/8 UNC Gr.5	11	ALL
1026B3318	18	51-106979	Red Reflector Tape - 2" x 9"	2	ALL
1026B3319	19	6215-00-0614	Grease Zerk - 1/4-28 Straight	2	ALL
1026B3320	20	6777-02-0012	Dump Lid Spring	2	ALL
1026B3321	21	7220-10-6104	Bearing - Ball AEL 206-104	1	ALL
1026B3322	22	7222-01-2206	Flangette - PF 206 MS-62	1	ALL
1026B3323	23	4891-ST-0278	Tapping-Screws Slotted 3/8 x 8	2	ALL
1026B3324	24	38-111232	End Dump Liner Kit (Incl. 4 x Screw-Selftapping #10X1/2)	1	ALL
1026B3326	26	5009-02-0313	Washer-flat 5/16 dia uss	2	ALL


HYDRAULIC HOSE & CYLINDER ASSEMBLY
(HYDRAULIC LIFT OPTION)



LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B3401	1	6800-00-0013	8010-4FB Coupler-Pioneer	2	ALL
1026B3402	2	0301-00-0004	Hydraulic Cylinder Sapcer	as re 'd	4461
1026B3403	3	6800-00-0112	3/8" Hose 6F IC-8MP 135" Long	2	ALL
1026B3404	4	4030-21C0260	Nut-Hex 1/2" UNC Gr.5	1	ALL
1026B3405	5	5009-02-0500	Washer-Flat 1/2" Dia. USS	1	ALL
1026B3406	6	5000-03-0500	Washer-Lock 1/2" Dia. USS	1	ALL
1026B3407	7	5010-00-0001	Washer-2 x 17/32 x 0.150	1	ALL
1026B3408	8	4001-22C2968	Bolt-Hex 1/2 x 5 UNC Gr.5	1	ALL
1026B3409	9	6777-02-0029	Hyd. Hose Holder - Grain Vac	1	ALL
1026B3410	10	0300-11-0029	Cyl. Hydraulic-2.5 Bore x 12 Stroke x 1 1/8 I	1	ALL
1026B3411	11	6800-00-0121	Elbow 90 Degree 6M IC-6MP	2	ALL
1026B3412	12	6800-00-0119	3/8 Hose 6F IC-6F IC 74" Long	1	ALL
1026B3413	13	6800-00-0120	3/8 Hose 6F IC-6F IC 90" Long	1	ALL
1026B3414	14	6800-00-0117	3/8 Hose 6F IC-8F IC 34" Long	2	ALL
1026B3415	15	0300-21-0028	Cyl. Hydraulic 3.5 Bore x 10 Stroke x 1.25 R	1	ALL
1026B3416	16	6800-00-0116	Adapter-6M IC-6MB (ORB)	4	ALL
1026B3417	17	6800-00-0081	Se uence Val e - 3/8" Ports	1	ALL
1026B3418	18	4046-13C0220	Nut-Whiz 5/16 Flg. UNC Gr.5	4	ALL
1026B3419	19	6800-00-0113	3/8 Restrictor-1/32 Dia. Hole 6MP-6M IC	1	ALL
1026B3420	20	6800-00-0114	Connector 6MP-6MB (ORB)	1	ALL
1026B3421	21	6800-00-0074	3/8" BallVal e 6Fp Both Ends c/w Handle	1	ALL
1026B3422	22	4001-22C2400	Bolt-Hex 5/16 x 3 UNC Gr.5	2	ALL
1026B3423	23	38-107731	Hyd. Hose Clip	2	ALL
1026B3424	24	38-107750	Grease Pin	3	ALL
1026B3425	25	4001-22C2384	Bolt-Hex 5/16 x 2 UNC Gr.5	3	ALL
1026B3426	26	4049-13C0220	Nut-Ny Lock 5/16 UNC Gr.5	3	ALL
1026B3427	27	6215-00-0614	Grease Zerk 1/4"-28 Straight	3	ALL
1026B3428	28	48-106621	Cylinder Spacer	4	ALL
1026B3429	29	6800-00-0115	3/8 Restrictor-1/32 Dia.Hole 6M IC-6MB (OF	1	ALL
1026B3430	30	6800-00-0118	Adapter- 6M IC-8MP	2	ALL
1026B3431	31	0350-00-0006	Seal Kit #639577	1	ALL
1026B3432	32	0350-00-0005	Seal Kit #639573	1	ALL

Note All changes of Hyd Fittings to IC Ends was
effecti e Sept.26/01

Aug 20/02



REVISED
NOV 22/02

HIRED HAND KIT - 1026B

Page 35A
28/03/01

LOCATION CODE	DWG NO.	PART NUMBER	DESCRIPTION	NO. REQ'D	SERIAL NUMBER
1026B3501	1	0485-00-0007	Back-Sidewind-Clevis Ends	1	ALL
1026B3502	2	38-108362	Hired Hand Hose Strap Assembly	6	ALL
1026B3503	3	38-108267	Hired Hand Panel	6	ALL
1026B3504	4	38-108307	Sleeve Tube	1	ALL
1026B3505	5	38-108308	Pilot Tube	1	ALL
1026B3506	6	38-108534	Hired Hand Tube - 1026B	1	ALL
1026B3507	7	38-108312	Hired Hand Connection Flat	1	ALL
1026B3508	8	38-108320	Handle Bolt	1	ALL
1026B3509	9	3900-82-5150	Tiedown Rubber/Tarp Strap	1	ALL
1026B3510	10	4001-22C2880	Bolt - Hex 1/2 x 3/4 Gr. 5	2	ALL
1026B3511	11	4001-22C2490	Bolt - Hex 1/2 x 3 1/4 Gr. 5	2	ALL
1026B3512	12	4001-22C2990	Bolt - Hex 1/2 x 7 Gr. 5	1	ALL
1026B3513	13	4006-22C5375	Bolt - Shoulder 1/2 x 5/8 x 3/8	12	ALL
1026B3514	14	38-108548	Hired Hand Nozzle Mount	1	ALL
1026B3515	15	4024-22C2502	Bolt - Whiz 3/8 x 1 UNC Gr. 5	1	ALL
1026B3516	16	4055-02C0235	Nut - Lock Uni-Tr 3/8 UNC	13	ALL
1026B3517	17	4046-13C0500	Nut - Whiz Flg 1/2 UNC Gr. 5	2	ALL
1026B3518	18	4049-13C0260	Nut - Ny Lock 1/2 UNC Gr. 5	1	ALL
1026B3519	19	38-108393	Hired Hand Pin	2	ALL
1026B3520	20	6732-00-0033	Pin - Cotter 3/16 x 1 1/2	2	ALL
1026B3521	21	5012-02-0375	Washer-Flat 3/8 Dia. SAE	12	ALL
1026B3522	22	38-108541	Hired Hand Kit - 1026B (Incl. 1-21)	1	ALL

Rugged
Reliable... Rem

www.rementerprisesinc.com

REM ENTERPRISES INC.
P.O. BOX 1207
2180 OMAN DRIVE
SWIFT CURRENT, SK
CANADA S9H 3X4
PHONE (306) 773-0644
FAX (306) 773-1188
Email: remsales@rem.sk.ca

PRINTED IN CANADA

PART NUMBER: 9000-00-0032
